

| L Number | Hits  | Search Text   | DB  | Time stamp       |
|----------|-------|---|---|------------------|
| 1        | 10562 | server adj network  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/10 12:15 |
| 2        | 17    | (server adj network) and master adj server with slave adj server  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/10 12:19 |
| 3        | 2     | ((server adj network) and master adj server with slave adj server) and encrypt\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/10 12:20 |
| 4        | 64    | master adj server with slave adj server and (@AD<20000412)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/10 12:19 |
| 5        | 3     | ( master adj server with slave adj server and (@AD<20000412)) and encrypt\$3  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/10 12:39 |
| 6        | 19    | ( automatic\$4 with configur\$5 with (master or slave) and (@AD<20000412)) and ( configuration adj (software or program))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/10 12:40 |
| 7        | 0     | (( automatic\$4 with configur\$5 with (master or slave) and (@AD<20000412)) and ( configuration adj (software or program))) and encrypt\$3                              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/10 12:41 |
| 8        | 189   | automatic\$4 with configur\$5 with (master or slave) and (@AD<20000412)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/10 12:42 |
| 9        | 25    | (automatic\$4 with configur\$5 with (master or slave) and (@AD<20000412)) and encrypt\$3  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/10 13:48 |
| 10       | 0     | ((automatic\$4 with configur\$5 with (master or slave) and (@AD<20000412)) and encrypt\$3) and automatic\$4 with configur\$5 with (master and slave) and (@AD<20000412) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/10 12:42 |
| 11       | 0     | (automatic\$4 with configur\$5 with (master or slave) and (@AD<20000412)) and (global and local and slave) adj2 server  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/10 13:48 |
| 12       | 1     | (automatic\$4 with configur\$5 with (master or slave) and (@AD<20000412)) and ((global or central) and local and slave) adj2 (controller or server)                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/10 13:49 |

| L Number | Hits | Search Text   | DB  | Time stamp       |
|----------|------|---|---|------------------|
| 44       | 5310 | ((710/110) or (710/107) or (710/100) or (709/211) or (709/209) or (709/208) or (709/200) or (700/3) or (700/2) or (700/1) or (379/142.12) or (379/111) or (377/115) or (345/504) or (345/502) or (345/501)).CCLS.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 16:14 |
| 45       | 80   | ((servers or controllers or computers) with network and (master or controller) with (configure or configuring or configured) and (@AD <20000412)) and (servers with ((local adj area adj network) or LAN) and gateway)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 15:36 |
| 47       | 3    | ((710/110) or (710/107) or (710/100) or (709/211) or (709/209) or (709/208) or (709/200) or (700/3) or (700/2) or (700/1) or (379/142.12) or (379/111) or (377/115) or (345/504) or (345/502) or (345/501)).CCLS.) and (((servers or controllers or computers) with network and (master or controller) with (configure or configuring or configured) and (@AD <20000412)) and (servers with ((local adj area adj network) or LAN) and gateway)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 15:37 |
| 48       | 4264 | (servers or controllers or computers) with network and (master or controller) with (configure or configuring or configured) and (@AD <20000412)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 15:43 |
| 49       | 219  | ((710/110) or (710/107) or (710/100) or (709/211) or (709/209) or (709/208) or (709/200) or (700/3) or (700/2) or (700/1) or (379/142.12) or (379/111) or (377/115) or (345/504) or (345/502) or (345/501)).CCLS.) and ((servers or controllers or computers) with network and (master or controller) with (configure or configuring or configured) and (@AD <20000412))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 15:44 |
| 50       | 4    | ((710/110) or (710/107) or (710/100) or (709/211) or (709/209) or (709/208) or (709/200) or (700/3) or (700/2) or (700/1) or (379/142.12) or (379/111) or (377/115) or (345/504) or (345/502) or (345/501)).CCLS.) and ((servers or controllers or computers) with network and (master or controller) with (configure or configuring or configured) and (@AD <20000412))) and (master and slave) adj3 server                                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 15:57 |
| 52       | 11   | (first and second) with (master and slave) adj3 server  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 15:58 |
| 51       | 3    | (global and local) with (master and slave) adj3 server  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 16:02 |
| 53       | 0    | automatic\$4 with configur\$5 with (global or local) with (master and slave) adj3 server and (@AD<20000412)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 16:04 |
| 54       | 5    | automatic\$4 with configur\$5 with (global or local) with (master or slave) and (@AD<20000412)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 16:16 |
| 55       | 1778 | ((709/220) or (709/221) or (709/222)).CCLS.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 16:15 |

|    |     |   |   |                  |
|----|-----|---|---|------------------|
| 56 | 76  | ((709/220) or (709/221) or (709/222)).CCLS.) and ((servers or controllers or computers) with network and (master or controller) with (configure or configuring or configured) and (@AD <20000412))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 16:15 |
| 57 | 4   | ((709/220) or (709/221) or (709/222)).CCLS.) and ((servers or controllers or computers) with network and (master or controller) with (configure or configuring or configured) and (@AD <20000412))) and automatic\$4 with configur\$5 with (master or slave) and (@AD<20000412) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 16:20 |
| 58 | 187 | automatic\$4 with configur\$5 with (master or slave) and (@AD<20000412)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 16:20 |
| 59 | 0   | automatic\$4 with configur\$5 with (master or slave) with (based or according) with connection and (@AD<20000412)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/08/17 16:21 |